

Amendments To The Claims:

Claim 1 (currently amended): A method for use in generating a television channel map, comprising:

selecting a first input of a plurality of inputs where a plurality of signals are received on the first input;

selecting a first single modulation scheme of a plurality modulation schemes on the first input and selecting a first signal modulated in accordance with the first signal modulation scheme of the plurality of signals received on the first input;

tuning a plurality of channels for the ~~identified~~ first signal modulated in accordance with the single modulation scheme;

determining if a broadcast is received on each of the channels;

recording channels that are determined to receive broadcasts in a channel map according to the plurality of tuned channels for the identified single modulation scheme; and

not performing a full auto-program such that the auto-program is limited to the first signal of the plurality of signals received on the first input.

Claim 2 (original): The method of claim 1, wherein the not performing the full auto-program includes terminating an auto-program after evaluating only the first modulation scheme without completing an auto-program for any other modulation scheme.

Claim 3 (original): The method of claim 2, further comprising:
determining if the channel map includes an assignment for a first tuned channel;

identifying a channel name associated with the first tuned channel; and

replacing the assignment with the first tuned channel and recording the channel and the channel name in the channel map.

Claim 4 (original): The method of claim 1, further comprising:
scanning a signal modulated by the first modulation scheme;
identifying channels carrying broadcast information;
comparing previously defined channel assignments of the channel map with
the identified channels during the scanning; and
initiating the tuning, the determining and the recording when a difference is
detected during the comparing the channel assignments.

Claim 5 (original): The method of claim 1, further comprising:
scanning a signal of the single modulation scheme;
comparing channel assignments of the channel map with identified channels
during the scanning; and
initiating the tuning and the recording for the single modulation scheme when
a difference is detected during the comparing the channel assignments.

Claim 6 (original): The method of claim 5, further comprising:
identifying a broadcaster associated with at least a first channel of the
identified channels, and wherein the comparing comprises comparing the broadcaster of
the first channel with the channel assignments of the channel map; and
initiating the tuning and the recording for the single modulation scheme when
a difference is detected with the identified broadcaster.

Claim 7 (original): The method of claim 1, further comprising:
identifying channels not assigned in the channel map associated with the
modulation scheme;
scanning a signal of the single modulation scheme for a first channel of the
identified channels not assigned in the channel map;
determining if a first broadcast is received over the first channel; and
initiating the tuning and the recording for the single modulation scheme when
the first broadcast is received over the first channel.

Claim 8 (original): The method of claim 7, further comprising:
determining if any broadcast is received on each of the identified channels not assigned in the channel map; and
initiating the tuning and the recording for the single modulation scheme when a broadcast is received over one of the identified channels not assigned.

Claim 9 (currently amended): A method for use in generating a channel map, comprising:

selecting a first input of a plurality of inputs where a plurality of signals are received on the first input;

selecting a first signal of ~~[[a]]~~ the plurality of signals to evaluate;

generating a channel map for the first signal, comprising:

tuning in the first signal;

tuning in each of a plurality of channels carried by the first signal;

and

recording into the channel map each of a plurality of channels that deliver broadcast information; and

limiting the channel map to the first signal of the plurality of signals received on the first input and not performing a full auto-program.

Claim 10 (currently amended): The method of claim 9, wherein the limiting further comprises limiting the channel map to the first signal and not generating channel map for other signals of the plurality of signals.

Claim 11 (original): The method of claim 9, further comprising:
determining if a signal quality meets a predefined threshold for each of the plurality of channels that deliver broadcast information prior to recording, wherein the recording comprises recording each of the plurality of channels that have a signal quality that meet the predefined threshold into the channel.

Claim 12 (canceled)

Claim 13 (currently amended): The method of claim 9, further comprising:
determining if a channel map exists for the selected first signal;
tuning in a first channel that is not recorded in the channel map when a
channel map exists;

determining if ~~[[the]]~~ a signal quality for the tuned in channel meets a
predefined threshold; and

initiating the generating of the channel map for the entire selected first signal
when the signal quality of the tuned in channel that was not previously recorded in the
channel map meets the predefined threshold.

Claim 14 (currently amended):The method of claim 13, further comprising:
determining a broadcaster of a second channel that has previously been
recorded in the channel map;

comparing the determined broadcaster with a recorded broadcaster previously
recorded in the channel map;

determining if the determined broadcaster is different than the recorded
broadcaster; and

initiating the generating of the channel map for the entire selected first signal
when the determined broadcaster is different than the recorded broadcaster.

Claim 15 (currently amended):The method of claim 13, further comprising:
performing the generating of the channel map for the entire selected first
signal comprising:

tuning in each of a plurality of channels carried by the first signal modulated
with a selected modulation scheme;

determining which of the plurality of channels have a signal quality that meets
the threshold when tuned in; and

recording each channel of the plurality of channels that have the signal quality that meets the threshold in to the channel map.

Claim 16 (original): The method of claim 15, further comprising:
determining a broadcaster for at least one of the plurality of channels that have the signal quality that meets the threshold when tuned in; and
recording the broadcaster in the channel map and associating the broadcaster with the recorded channel.

Claim 17 (previously presented):An apparatus for use in generating a channel map, comprising:
a plurality of inputs that each receive at least one signal;
a selecting device coupled with each of the plurality of inputs, wherein the selecting device selects a first signal from a plurality of signals from one of the plurality of inputs;
a tuner coupled with the selecting device, wherein the tuner receives and tunes in the selected first signal;
a processor coupled with the tuner, wherein the processor receives the first signal and performs a channel mapping of the first signal while limiting the channel mapping to the first signal and not completing a full channel mapping of the other signals received through the plurality of inputs.

Claim 18 (original): The apparatus of claim 17, further comprising:
a plurality of tuners coupled with the selecting device, each tuner tuning at least one of the plurality of signals.

Claim 19 (original): The apparatus of claim 18, wherein at least a first tuner of the plurality of tuners is a quadrature amplitude modulation (QAM) tuner, and at least a second tuner of the plurality of tuners is a National Television Standards Committee (NTSC) tuner.

Claim 20 (original): The apparatus of claim 17, further comprising:
a video processor coupled with the tuner, wherein the video processor
processes the signal to generate a video output to be displayed; and
a memory coupled with the processor, wherein the memory stores the channel
map.